

## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



714  
62

# Tobacco Stocks Report

## as of April 1, 1952



U. S. DEPARTMENT OF AGRICULTURE  
PRODUCTION AND MARKETING ADMINISTRATION

---

Washington, D. C.  
May 20, 1952

### CONTENTS

	Page
Discussion - - - - -	1 - 3
Conversion factors for adjusting for losses in weight - - - - -	4
Stocks of leaf tobacco, by types, converted to a FARM-SALES- WEIGHT equivalent - - - - -	5
Stocks of leaf tobacco, by types and groups of grades - - - - -	6-12
Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers - - - - -	13
Stocks of leaf tobacco, summary by types - - - - -	14



## EXPLANATION OF GROUP SYMBOLS

### GROUPS OF TYPES 11, 12, 13, and 14:

- A-Wrappers
- B-Leaf and smoking leaf
- C-Cutters
- X-Lugs and primings
- S-Scrap
- N-Nondescript

### GROUPS OF TYPES 21, 22, 23, and 24:

- A-Wrappers
- B-Heavy leaf
- C-Thin leaf
- X-Lugs
- S-Scrap
- N-Nondescript

### GROUPS OF TYPE 31:

- A-Wrappers
- B-Bright leaf, red leaf, and tips
- C-Lugs and cutters
- X-Trash and flyings
- S-Scrap
- N-Nondescript

### GROUPS OF TYPE 32:

- B-Heavy leaf or dull crop
- C-Thin leaf or bright crop
- X-Seconds and ground leaves
- S-Scrap
- N-Nondescript

### GROUPS OF TYPES 35, 36, and 37:

- A-Wrappers
- B-Heavy leaf
- C-Thin leaf
- X-Lugs
- S-Scrap
- N-Nondescript

### GROUPS OF TYPE 41:

- B-Binders or tops
- C-Fillers (farm wrappers)
- X-Crop-run and stemming grades
- Y-Farm fillers or ground leaves
- S-Scrap
- N-Nondescript

### GROUPS OF TYPES 42, 43, and 44:

- C-Fillers (farm wrappers)
- X-Crop-run and stemming grades
- Y-Farm fillers or ground leaves
- S-Scrap
- N-Nondescript

### GROUPS OF TYPE 46:

- C-Superior
- X-Inferior
- Y-Defectuoso
- S-Scrap (Picadura)
- N-Nondescript

### GROUPS OF TYPES 51, 52:

- A-Wrappers
- B-Binders, seconds, and brokes
- C-Fillers and short darks
- X-Stemming grades
- S-Scrap
- N-Nondescript

### GROUPS OF TYPE 53:

- B-Binders, seconds, and brokes
- X-Crop-run and stemming grades
- S-Scrap
- N-Nondescript

### GROUPS OF TYPES 54 and 55:

- B-Binders
- C-Fillers
- X-Crop-run and stemming grades
- S-Scrap
- N-Nondescript

### GROUPS OF TYPE 56:

- B-Binders
- S-Scrap
- N-Nondescript

### GROUPS OF TYPES 61 and 62:

- A-Wrappers
- B-Stout wrappers and binders
- C-Fillers or tips
- S-Scrap
- N-Nondescript

### GROUPS OF TYPES 81, 82, and 83:

- A-Wrappers
- C-Fillers
- S-Scrap

## STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS

### Total Stocks Larger

Inventories of all types <sup>1/</sup> of leaf tobacco reported on hand by dealers and manufacturers in the United States and Puerto Rico totaled 4,244 million pounds (farm-sales-weight) as of April 1, 1952 <sup>2/</sup> - an increase of 302 million pounds compared with a year ago. The 1951 crop of around 2,355 million pounds including 27.5 million pounds for Puerto Rico was in stocks by April 1 with the exception of around 75 million pounds, consisting mainly of Maryland, Pennsylvania Seedleaf and Puerto Rican tobacco.

Stocks as of April 1 included about 444 million pounds (farm-sales-weight) of leaf under Government loans. This consisted of approximately 188 million pounds of flue-cured; 141 million of Burley; 7.9 million of Maryland; 54.4 million of fire-cured; 31.1 million of Dark air-cured; and 22.0 million of cigar leaf types. For the southern types, flue-cured stocks were up 11 percent, Burley 8 percent, and Maryland 10 percent compared with the previous April 1. Stocks of fire-cured and dark air-cured tobaccos were slightly below the levels of a year earlier. For the cigar-leaf types, holdings of the cigar-filler types were 2 percent greater than on hand last April 1, binder types were smaller by 3 percent, while shade-grown inventories showed 6 percent increase. For the foreign-grown types, holdings of both cigarette (turkish and other) and cigar-leaf types were slightly larger than a year ago.

---

<sup>1/</sup> Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. Tables in the body of the report show stocks on a farm-sales-weight basis; stocks in detail on a reported weight basis; subdivided according to recognized groupings; and stocks owned by dealers and manufacturers, separately.

<sup>2/</sup> The general instructions for filing the tobacco stocks reports, required of dealers and manufacturers by the United States Department of Agriculture, specify that the report shall be made as of the opening of business on the first day of each quarter.



### CIGARETTE-LEAF STOCKS

#### Stocks of Flue-cured, Burley, and Maryland Each Show Substantial Increase Holdings of Turkish Up Slightly

Flue-cured tobacco stocks were 1,990 million pounds as of April 1, 1952, representing an increase of 194 million compared with holdings a year ago. Stocks of flue-cured leaf were the largest on record for this quarter.

Burley tobacco inventories of 1,344 million pounds were 103 million greater than on hand the previous April 1. Sales for the 1951 crop of around 617 million were completed during February. The 1951 crop was the largest on record as it slightly exceeded the previous record size 1946 crop.

Maryland tobacco stocks reported on hand totaled 51.5 million pounds as of April 1, 1952 compared with 46.7 million a year earlier. The 1951 crop, estimated at 41.6 million pounds will be marketed during May-August period of this year.

Stocks of foreign-grown cigarette and smoking tobacco (Turkish and other) totaled 176.5 million pounds for an increase of 4.1 million compared with the previous April 1.

### DARK TOBACCO STOCKS

#### Fire-cured and Dark Air-cured Stocks Slightly Lower

Fire-cured tobacco stocks on hand April 1, 1952 amounted to 173.0 million pounds which is a decrease of 4.9 million pounds from a year ago. A sharp decline in holdings of Type 23 more than offset increases in stocks of Type 21, and Type 22. April 1, 1952 stocks of Virginia fire-cured were 31.5 million pounds; Eastern District Tennessee and Kentucky fire-cured 110.6 million; Western District, 30.5 million; and Henderson Stemming 0.3 million. The 1951 crop of fire-cured tobaccos amounted to 59.5 million pounds, sales of which were completed during the first quarter.

Dark air-cured stocks totaled 86.8 million compared with 90.1 million for the April 1 quarter last year. Of the dark air-cured holdings on April 1, 1952, stocks of One Sucker were 49.1 million pounds, Green River 33.3 million, and Virginia Sun-cured 4.4 million. Stocks of Type 35 and Type 37 were near the same level of a year ago whereas holdings of Type 36 were down 3.2 million pounds. Marketing of the 1951 production of dark air-cured tobacco, amounting to 31.7 million pounds, was completed prior to April 1.

CIGAR LEAF STOCKS

Cigar-leaf Inventories About Same As Year Earlier

Dealer and Manufacturers as of April 1, 1952 reported inventories totaling 400.0 million pounds (farm-sales-weight) of all types of domestic cigar leaf, including Puerto Rican. This is practically the same overall total as on hand a year earlier. Stocks of Cuban leaf were up slightly more than 2 million from the previous April 1.

Stocks of the cigar-filler types were 216.4 million pounds as of April 1, 1952 or 4.9 million greater than a year earlier. Pennsylvania Seedleaf holdings are not strictly comparable with stocks a year earlier because of the varying amount of the new crop remaining on farms. Based on changes in stocks from the previous quarter, approximately 60 percent of the crop was in the hands of dealers and manufacturers this April 1, compared with 75 percent on the same date last year. Stocks of Type 41 this April 1 were 137.5 million pounds and 133.1 million a year ago. Holdings of Ohio filler were 32.7 million pounds, down slightly, while Puerto Rican stocks of 46.2 million showed a small increase over the previous April 1 level.

Stocks of the cigar binder types were 158.6 million pounds as of April 1, 1952 compared with 162.8 million a year earlier. Holdings of Type 51 increased compared with the previous April 1, whereas stocks of Type 52 and Type 55 showed a decrease. Connecticut Valley Broadleaf stocks this April 1, were 35.5 million pounds; Havana Seed 32.0 million; New York and Pennsylvania Havana Seed 2.9 million Southern Wisconsin 42.3 million and Northern Wisconsin 45.9 million.

Shade-grown stocks as of April 1, 1952 were 25.0 million pounds compared with 23.5 million for this quarter last year. A sizable increase in holdings of Type 62 more than compensated for a decrease in stocks of Type 61. Connecticut Valley Shade stocks were 15.0 million pounds and Georgia-Florida Shade 10.0 million.

Stocks of Cuban leaf were reported as 17.8 million pounds compared with 15.7 million for this quarter last year. Holdings of Sumatra and Java totaled 0.5 million pounds, Philippine Islands (Manila) leaf 0.6 million, and other miscellaneous foreign-grown less than 0.1 million.

Table 1.--Average percentage of weight remaining after handling, sweating, drying, and stemming for all types of tobacco, and factors used for adjusting stocks reported by dealers and manufacturers to a farm-sale weight equivalent <sup>1/</sup>

SOUTHERN TYPES (11-37)

Type	No.	Yield realized from farm-sales weight to:				Stemming				Factors used to multiply by	
		Packed in domestic order				Yield from:				to convert reported stocks	
		To the end of:				actual				Stemmed	
		Packed	One year	Two years	Three years	weight	weight at	Yield from	Yield from	stocks to	Unstemmed stocks
		weight	in storage	in storage	in storage	export	time of	farm-sales	weight	unstemmed	weight equiv-
		Percent	Percent	Percent	Percent	order	operation	weight	equivalent	equivalent	alent 2/
Flue-cured	11-14	90.0	89.1	88.7	88.0	88.0	78.0	69.0	1.282	1.12	
Virginia fire-cured	21	85.0	84.2	83.4	83.0	83.0	77.0	64.0	1.299	1.18	
Tenn. & Ky. fire-cured	22-23	98.5	94.6	92.7	91.8	95.0	76.0	69.5	1.316	1.04	
Henderson Stemming	24	90.0	87.3	86.0	85.1	86.0	76.0	64.5	1.316	1.125	
Burley	31	90.0	88.2	87.3	86.4	89.0	74.0	64.0	1.351	1.12	
Southern Maryland	32	100.0	96.0	94.1	93.2	100.0	74.0	69.0	1.351	1.02	
One Sucker	35	92.0	90.2	88.8	87.9	90.0	70.0	61.5	1.429	1.09	
Green River	36	90.0	87.3	86.0	85.1	86.0	76.0	64.5	1.316	1.13	
Virginia sun-cured	37	89.0	88.1	87.2	86.8	85.0	76.0	66.0	1.316	1.13	

CIGAR LEAF TYPES (41-62)

Type	No.	Yield realized from farm-sale weight to:				Stemming				Factors used to multiply by	
		To the end of:				Yield from:				to convert reported stocks	
		One year				actual				Stemmed	
		in storage	Two years	Three years	in storage	weight at	weight at	Yield from	Yield from	stocks to	Unstemmed stocks
		Percent	Percent	Percent	Percent	time of	operation	weight	weight	unstemmed	weight equiv-
		Percent	Percent	Percent	Percent	operation	operation	weight	equivalent	equivalent	alent
Pennsylvania Seedleaf	41	97.3	86.0	84.0	82.0	80.6	72.0	58.0	1.387	(4)	
Gebhardt	42	(3)	85.6	83.3	80.9	79.3	73.0	58.0	( )	(4)	
Zimmer	43	(3)	85.4	83.0	80.8	78.9	71.5	56.5	(1.387	(4)	
Dutch	44	(3)	86.5	84.1	81.7	80.0	70.5	56.5	( )	(4)	
Puerto Rico	46	88.0	87.1	83.6	82.0	--	78.5	64.5	1.275	1.17	
Connecticut Broadleaf	51	97.0	87.4	85.4	83.1	81.1	77.5	62.5	1.292	(4)	
Connecticut Havana Seed	52	97.0	87.4	85.0	83.1	81.2	77.0	62.5	1.299	(4)	
N. Y. & Pa. Havana Seed	53	91.0	84.6	82.9	80.9	79.7	73.5	58.5	1.364	(4)	
Southern Wisconsin	54	96.3	83.1	81.5	79.1	77.9	77.0	59.5	1.300	(4)	
Northern Wisconsin	55	93.7	83.8	82.4	80.6	79.2	75.0	59.0	1.333	(4)	
Ga. & Fla. binder	56	82.5	80.8	78.8	77.2	75.7	78.5	59.0	1.275	(4)	
Connecticut Shade	61	91.1	88.7	86.3	84.4	83.0	81.5	67.5	1.224	(4)	
Ga. & Fla. Shade	62	89.1	87.3	84.5	82.3	80.6	83.0	67.0	1.205	(4)	

MISCELLANEOUS DOMESTIC AND FOREIGN-GROWN TYPES (71-90)

Type	No.	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Miscellaneous Domestic	72-73	--	--	--	--	--	--	--	--	5 1.333	5 1.09
Foreign-grown cigar leaf	81-84	--	--	--	--	--	--	--	--	5 1.205	(6)
Foreign-grown cigarette and smoking tobacco	90	--	--	--	--	--	--	--	--	5 1.205	(6)

<sup>1</sup> Information in this table taken from U. S. Department of Agriculture Circular 435, Tobacco Shrinkages and Losses in Weight in Handling and Storage, issued in July 1937. <sup>2</sup> Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating and storage. <sup>3</sup> Ohio-Miami Valley filler types of tobacco packed in cases by growers before delivery. <sup>4</sup> See footnote 1 on page 5 for conversion factor to the farm-sales weight equivalent. <sup>5</sup> Tentative factor. <sup>6</sup> Factor has not been determined.



Table 2.-Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, April 1, 1952, compared with other quarters 1/

# FARM - SALES WEIGHT

Type name	U.S. type number	April 1,			January 1,	October 1,	July 1,
		1952	1951	1950	1952	1951	1951
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Flue cured	11-14	1,989,772	1,796,255	1,754,028	2,267,647*	1,935,268	1,557,534
Virginia fire-cured	21	31,533	28,698	28,924	26,557	24,654	27,017
Tennessee and Kentucky fire-cured (Eastern District)	22	110,637	105,557	115,430	83,078	90,681	96,972
Kentucky and Tennessee fire-cured (Western District)	23	30,488	43,314	53,879	26,999	31,587	35,480
Henderson Stemming	24	327	345	362	330	330	330
Total Fire-cured	21-24	172,985	177,914	198,595	136,964	147,252	159,799
Burley	31	1,344,139	1,241,004	1,283,393	1,188,176*	981,271	1,119,632
Low-nicotine	31-7	673	750	788	602	734	740
Southern Maryland	32	51,504	46,661	38,092	59,269	64,324	52,237
Total Light Air-cured	31-32	1,396,316	1,288,415	1,322,273	1,248,047*	1,046,329	1,172,609
One Sucker	35	49,110	49,296	50,380	41,359*	37,984	43,936
Green River	36	33,319	36,510	39,240	32,807	30,960	32,937
Virginia sun-cured	37	4,393	4,334	4,494	3,141	2,813	3,607
Total Dark Air-cured	35-37	86,822	90,140	94,114	77,307*	71,757	80,480
Pennsylvania Seedleaf	41	137,506	133,062	140,565	115,469*	126,226	136,094
Ohio Filler (Miami Valley)	42-44	32,658	34,305	31,191	28,627	31,154	34,550
Puerto Rican:							
In United States	46	22,720	26,725	29,358	23,070*	20,972	21,877
In Puerto Rico	46	23,504	17,425	23,053	13,752*	26,814	34,896
Total Cigar-Filler	41-46	216,388	211,517	224,167	180,918*	205,166	227,417
Connecticut Valley Broadleaf	51	35,547	31,987	32,415	31,366*	29,832	32,174
Connecticut Valley Havana Seed	52	32,013	34,006	28,106	30,615*	27,270	30,278
New York and Pa. Havana Seed	53	2,873	2,175	1,933	1,719*	2,047	2,456
Southern Wisconsin	54	42,273	42,576	45,494	36,036*	40,254	41,920
Northern Wisconsin	55	45,897	52,059	47,691	41,630*	43,087	49,687
Georgia and Florida Binder	56	-	18	125	-	-	14
Total Cigar-Binder	51-56	158,603	162,821	155,764	141,366*	142,490	156,529
Connecticut shade	61	15,061	15,577	15,607	16,827*	14,592	13,025
Georgia and Florida shade	62	9,983	7,969	6,862	10,933*	10,733	6,936
Total Cigar-wrapper	61-62	25,044	23,546	22,469	27,760*	25,325	19,961
Perique	72	1,059	969	916	702	834	859
Other Miscellaneous Domestic 2/	73	826	979	1,272	1,066	1,123	1,043
Domestic Aromatic	77	380	628	-	626	611	618
Total Miscellaneous Domestic	72-77	2,265	2,576	2,188	2,394	2,568	2,520
Cuba (Havana) 3/	81	17,816	15,653	18,399	17,140*	16,564	15,990
Sumatra and Java 3/ 4/	82	514	595	265	656	544	444
Philippine Islands (Manila)	83	553	96	179	583	120	102
Other foreign-grown cigar leaf 3/	84	22	42	38	26	31	32
Total Foreign-grown Cigar-leaf 3/	81-84	18,905	16,386	18,881	18,405*	17,259	16,568
Foreign-grown cigarette & smoking tobacco (Turkish & other) 3/	90	176,457	172,336	151,802	169,731	166,375	179,817
Total all types	11-90	4,243,557	3,941,906	3,944,281	4,270,539*	3,759,789	3,573,234

1/ For factor used in converting weights see table 1 except for cigar leaf. The instructions for reporting unstemmed cigar-leaf of the domestic types require dealers and manufacturers to indicate the weight basis on which the tobacco is reported, namely farm-sales-weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of the amount reported in these three categories. The conversion factors by types of tobacco for April 1, 1952 are as follows: Type 41, 108; Types 42-44, 113; Type 51, 105; Type 52, 105; Type 53, 109; Type 54, 104; Type 55, 105; Type 61, 109; Type 62, 114. April 1, 1952 figures subject to revision.

2/ For explanation of stocks included in this classification, see footnote 5 on page 12.

3/ Foreign-grown leaf is converted to an unstemmed equivalent basis only.

4/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

\* Revisions in January 1, 1952 report.

Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, April 1, 1952, compared with January 1, 1952  
(REPORTED WEIGHT)

Type 11, Old and Middle Belt flue-cured

Group	April 1, 1952 <sup>1/</sup>			January 1, 1952		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	2,769	25	2,794	3,172	30	3,202
B	110,119	32,742	142,861	141,156	39,727	180,883
C	56,744	52,866	109,610	72,160	59,698	131,858
X	152,911	112,670	265,581	176,374	127,360	303,734
S	4,457	7,951	12,408	4,759	7,542	12,301
N	9,344	2,158	11,502	9,602	2,352	11,954
Total	336,344	208,412	544,756	407,223	236,709	643,932

Type 12, Eastern North Carolina flue-cured

A	2,430	893	3,323	1,900	-	1,900
B	63,028	31,781	94,809	69,505	35,250	104,755
C	52,164	72,647	124,811	62,050	75,542	137,592
X	146,395	136,943	283,338	173,816	147,051	320,867
S	2,275	4,369	6,644	2,531	4,632	7,163
N	7,625	1,913	9,538	8,299	1,987	10,286
Total	273,917	248,546	522,463	318,101	264,462	582,563

Type 13, South Carolina flue-cured (including southeastern North Carolina)

A	1,274	-	1,274	1,302	1,152	2,454
B	44,179	16,751	60,930	55,039	19,560	74,599
C	39,716	41,787	81,503	47,084	45,944	93,028
X	102,081	76,629	178,710	116,350	84,701	201,051
S	1,305	1,701	3,006	1,617	2,317	3,934
N	5,670	1,385	7,055	6,482*	797	7,279*
Total	194,225	138,253	332,478	227,874*	154,471	382,345*

Type 14, Georgia and Florida flue-cured

B	14,609	14,664	29,273	17,806	13,900	31,706
C	2,722	41,304	44,026	2,327	62,117	64,444
X	8,286	82,823	91,109	12,120	74,410	86,530
S	688	2,197	2,885	758	2,123	2,881
N	1,071	712	1,783	1,379	776	2,155
Total	27,376	141,700	169,076	34,390	153,326	187,716

Types 11-14. Total flue-cured

A	6,473	918	7,391	6,374	1,182	7,556
B	231,935	95,938	327,873	283,506	108,437	391,943
C	151,346	208,604	359,950	183,621	243,301	426,922
X	409,673	409,065	818,738	478,660	433,522	912,182
S	8,725	16,218	24,943	9,665	16,614	26,279
N	23,710	6,168	29,878	25,762*	5,912	31,674*
Total	831,862	736,911	1,568,773	987,588*	808,968	1,796,556*

See footnotes at end of table.

Continued -



**Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, April 1, 1952, compared with January 1, 1952**  
(REPORTED WEIGHT)

**Type 21, Virginia fire-cured**

Group	April 1, 1952 1/			January 1, 1952		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	510	-	510	404	-	404
B	13,835	2	13,837	11,952	3	11,955
C	5,076	3	5,079	4,101	134	4,235
X	6,879	230	7,109	5,762	23	5,785
S	108	4	112	72	4	76
N	5	-	5	2	-	2
<b>Total</b>	<b>26,413</b>	<b>239</b>	<b>26,652</b>	<b>22,293</b>	<b>164</b>	<b>22,457</b>

**Type 22, Tennessee and Kentucky fire-cured, (Eastern District)**

A	7,208	38	7,246	4,445	38	4,483
B	55,537	374	55,911	40,351	403	40,754
C	7,184	82	7,266	4,228	80	4,308
X	32,231	1	32,232	26,579	1	26,580
S	840	42	882	941	43	984
N	2,675	-	2,675	2,595	-	2,595
<b>Total</b>	<b>105,675</b>	<b>537</b>	<b>106,212</b>	<b>79,139</b>	<b>565</b>	<b>79,704</b>

**Type 23, Kentucky and Tennessee fire-cured (Western District)**

A	176	-	176	168	-	168
B	14,869	2	14,871	13,563	4	13,567
C	3,955	9	3,964	2,678	3	2,681
X	8,246	16	8,262	7,585	16	7,601
S	514	1	515	513	1	514
N	1,518	-	1,518	1,422	-	1,422
<b>Total</b>	<b>29,278</b>	<b>28</b>	<b>29,306</b>	<b>25,929</b>	<b>24</b>	<b>25,953</b>

**Type 24, Henderson Stemming**

A	2	-	2	2	-	2
B	102	-	102	104	-	104
C	40	-	40	40	-	40
X	123	-	123	123	-	123
N	24	-	24	24	-	24
<b>Total</b>	<b>291</b>	<b>-</b>	<b>291</b>	<b>293</b>	<b>-</b>	<b>293</b>

**Types 21-24, Total fire-cured**

A	7,896	38	7,934	5,019	38	5,057
B	84,343	378	84,721	65,970	410	66,380
C	16,255	94	16,349	11,047	217	11,264
X	47,479	247	47,726	40,049	40	40,089
S	1,462	47	1,509	1,526	48	1,574
N	4,222	-	4,222	4,043	-	4,043
<b>Total</b>	<b>161,657</b>	<b>804</b>	<b>162,461</b>	<b>127,654</b>	<b>753</b>	<b>128,407</b>

See footnotes at end of table.

Continued -

Table 3.-Stocks of leaf tobacco, by types and groups of grades owned by dealers and manufacturers, April 1, 1952, compared with January 1, 1952 - Cont'd.  
(REPORTED WEIGHT)

Type 31, Burley

Group	April 1, 1952 1/			January 1, 1952		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	1,926	-	1,926	2,027	-	2,027
F (Bright)	96,875	77,774	174,649	83,038	68,993	152,031
B (Red)	58,231	26,858	85,089	44,419	8,370	52,789
T (Bright)	48,231	13,311	61,542	49,912	7,946	57,858
T (Red)	75,470	18,218	93,688	61,154	13,075	74,229
C	273,969	148,177	422,146	275,923	127,169	403,092
X	118,253	85,728	203,981	141,617	57,446	199,063
S	5,753	8,240	13,993	4,617*	7,116	11,733*
N	8,637	1,249	9,886	4,876	994	5,870
Total	687,315	379,555	1,066,900	667,583*	291,109	958,692*

Type 31-V, Low-Nicotine

Total	279	238	517	264	241	505
-------	-----	-----	-----	-----	-----	-----

Type 32, Southern Maryland

B	14,009	188	14,197	16,239	2	16,241
C	10,831	10,225	21,056	13,214	12,195	25,409
X	5,390	303	5,693	5,236	720	5,956
S	344	636	980	342	691	1,033
N	4,566	13	4,579	4,674	13	4,687
Total	35,140	11,365	46,505	39,705	13,621	53,326

Type 35, One Sucker

A	1,733	-	1,733	1,250	-	1,250
B	16,281	2	16,283	13,450*	13	13,463*
C	8,357	1	8,358	7,081	-	7,081
X	13,254	533	13,787	12,355	505	12,860
S	605	325	930	571	42	613
N	3,142	317	3,459	2,242	136	2,378
Total	43,372	1,178	44,550	36,949*	696	37,645*

Type 36, Green River

A	151	-	151	35	-	35
B	15,085	189	15,274	13,608	214	13,822
C	3,077	-	3,077	4,300	-	4,300
X	8,361	567	8,928	6,413	635	7,048
S	120	29	149	83	1	84
N	1,494	125	1,619	3,296	136	3,432
Total	28,288	910	29,198	27,735	986	28,721

Type 37, Virginia sun-cured

A	291	-	291	214	-	214
B	935	39	974	734	47	781
C	624	2	626	345	17	362
X	1,608	233	1,841	1,000	253	1,253
S	68	-	68	69	1	70
N	1	-	1	-	-	-
Total	3,527	274	3,801	2,362	318	2,680

See footnotes at end of table.

Continued -



- 9 -

Table 3.-Stocks of leaf tobacco, by types and groups of grades owned by dealers and manufacturers, April 1, 1952, compared with January 1, 1952 - Cont'd.  
(REPORTED WEIGHT)

Types 35-37, Total dark air-cured

Group	April 1, 1952 1/			January 1, 1952		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	2,175	-	2,175	1,499	-	1,499
B	32,301	230	32,531	27,792*	274	28,066*
C	12,058	3	12,061	11,726	17	11,743
X	23,223	1,333	24,556	19,768	1,393	21,161
S	793	354	1,147	723	44	767
N	4,637	442	5,079	5,538	272	5,810
Total	75,187	2,362	77,549	67,046*	2,000	69,046*

Type 41, Pennsylvania Seedleaf

B	3,877	10	3,887	11,494	530	12,024
C	90,804	3,407	94,211	65,912	2,505	68,417
X	16,183	271	16,454	13,657*	408	14,065*
Y	9,429	316	9,745	7,117	343	7,460
S	62	1,015	1,077	22	1,093	1,115
N	1	2	3	-	2	2
Total	120,356	5,021	125,377	98,202*	4,881	103,083*

Types 42-44, Ohio Filler (Miami Valley)

C	4,386	87	4,473	17,127	438	17,565
X	22,038	409	22,447	5,140	37	5,177
Y	537	731	1,268	1,322	752	2,074
S	41	139	180	96	118	214
N	-	1	1	-	5	5
Total	27,002	1,367	28,369	23,685	1,350	25,035

Type 46, Puerto Rican (In Continental United States)

C	199	10,254	10,453	650	9,816*	10,466*
X	3,486	656	4,142	4,080	432	4,512
Y	6	15	21	441	9	450
S	91	1,324	1,415	23	1,125	1,148
N	7	10	17	4	6	10
Total	3,789	12,259	16,048	5,198	11,388*	16,586*

Type 46, Puerto Rican (In Puerto Rico)

C	7,320	1,670	8,990	1,410*	1,821*	3,231*
X	2,888	531	3,419	818*	668*	1,486*
Y	5,623	478	6,101	4,861*	382*	5,243*
S	74	349	423	108*	483*	591*
N	323	-	323	276	4	280
Total	16,228	3,028	19,256	7,473*	3,358*	10,831*

Type 46, Total Puerto Rican

C	7,519	11,924	19,443	2,060*	11,637*	13,697*
X	6,374	1,187	7,561	4,898*	1,100*	5,998*
Y	5,629	493	6,122	5,302*	391*	5,693*
S	165	1,673	1,838	131*	1,608*	1,739*
N	330	10	340	280	10	290
Total	20,017	15,287	35,304	12,671*	14,746*	27,417*

See footnotes at end of table.

Continued --

Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, April 1, 1952, compared with January 1, 1952 - Cont'd.  
(REPORTED WEIGHT)

Type 51, Connecticut Valley Broadleaf

Group	April 1, 1952 1/			January 1, 1952		
	Unstemmed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total :
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	1,805	7	1,812	1,767	13	1,780
B	26,185	121	26,306	22,922*	99	23,021*
C	357	1	358	397*	-	397*
X	4,785	140	4,925	3,509	116	3,625
S	33	249	282	34	293	327
N	13	5	18	12	-	12
Total	33,178	523	33,701	28,641*	521	29,162*

Type 52, Connecticut Valley Havana Seed

A	834	1	835	1,239*	2	1,241*
B	24,669	125	24,794	23,369*	87	23,456*
C	283	1	284	1,209*	45	1,254*
X	3,952	73	4,025	2,647*	59	2,706*
S	399	71	470	39	89	128
N	-	-	-	13	-	13
Total	30,137	271	30,408	28,516*	282	28,798*

Type 53, New York and Pennsylvania Havana Seed

B	471	-	471	942*	1	943*
X	1,799	-	1,799	459	32	491
S	310	27	337	41	32	73
N	19	-	19	18	-	18
Total	2,599	27	2,626	1,460*	65	1,525*

Type 54, Southern Wisconsin

B	6,020	9	6,029	5,844	3	5,847
C	1,070	4	1,074	226	9	235
X	28,799	3,557	32,356	23,265	3,558	26,823
S	1	89	90	1	15	16
Total	35,890	3,659	39,549	29,336	3,585	32,921

Type 55, Northern Wisconsin

B	17,630	98	17,728	17,699*	98	17,797*
C	257	23	280	16	50	66
X	24,151	855	25,006	19,305	891	20,196
S	4	265	269	11	368	379
N	15	-	15	-	-	-
Total	42,057	1,241	43,298	37,031*	1,407	38,438*

See footnotes at end of table.

Continued --



Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, April 1, 1952, compared with January 1, 1952 - Cont'd.  
(REPORTED WEIGHT)

Type 61, Connecticut Shade

Group	April 1, 1952 1/			January 1, 1952		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	12,641	14	12,655	14,252*	1	14,253*
B	652	12	664	792*	3	795*
C	304	-	304	213	5*	218*
S	1	150	151	8	132	140
N	-	3	3	-	-	-
Total	13,598	179	13,777	15,265*	141*	15,406*

Type 62, Georgia and Florida Shade

A	8,631	10	8,641	9,566*	12	9,578*
B	46	-	46	111*	-	111*
C	4	-	4	2	-	2
S	-	49	49	-	47	47
N	1	3	4	-	10	10
Total	8,682	62	8,744	9,679*	69	9,748*

SUMMARY ALL CIGAR TOBACCO 2/

APRIL 1, 1952

Group	Filler Types 41-46 3/	Binder Types 51-56	Wrapper Types 61-62	Foreign Types 81-84 4/	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	-	2,647	21,296	1,256	25,199
B	3,887	75,328	710	-	79,925
C	118,127	1,996	308	9,547	129,978
X	46,462	68,111	-	-	114,573
Y	17,135	-	-	-	17,135
S	3,095	1,448	200	5,988	10,731
N	344	52	7	-	403
Total	189,050	149,582	22,521	16,791	377,944

JANUARY 1, 1952

A	-	3,021*	23,831*	1,261*	28,113*
B	12,024	71,064*	906*	-	83,994*
C	99,679*	1,952*	220*	9,376*	111,227*
X	25,240*	53,841*	-	-	79,081*
Y	15,227*	-	-	-	15,227*
S	3,068*	923	187	5,848*	10,026*
N	297	43	10	-	350
Total	155,535*	130,844*	25,154*	16,485*	328,018*

See footnotes at end of table.

Continued -

Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, April 1, 1952, compared with January 1, 1952 - Cont'd.  
(REPORTED WEIGHT)

Type 72, Perique

Group	April 1, 1952 1/			January 1, 1952		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Total	-	685	685	-	633	633

Type 73, Other miscellaneous domestic 5/

Total	223	401	624	282	522	804
-------	-----	-----	-----	-----	-----	-----

Type 77, Domestic Aromatic 6/

Total	349	-	349	573	1	574
-------	-----	---	-----	-----	---	-----

Types 72-77, Total miscellaneous domestic

Total	572	1,086	1,658	855	1,156	2,011
-------	-----	-------	-------	-----	-------	-------

Type 81, Cuba (Havana)

A	675	75	750	539*	79	618*
C	2,418	6,579	8,997	2,782	5,994*	8,776*
S	2,384	3,586	5,970	2,619	3,222*	5,841*
Total	5,477	10,240	15,717	5,940*	9,295*	15,235*

Type 82, Sumatra and Java 7/

A	500	6	506	619	24	643
C	-	-	-	-	-	-
S	-	6	6	-	7	7
Total	500	12	512	619	31	650

Type 83, Philippine Islands (Manila)

C	492	39	531	543	33	576
S	-	12	12	-	-	-
Total	492	51	543	543	33	576

Type 84, Other foreign-grown cigar-leaf

Total	5	14	19	16	8	24
-------	---	----	----	----	---	----

Type 90, Foreign-grown cigarette and smoking tobacco (Turkish and other)

Total	176,457	-	176,457	169,731	-	169,731
-------	---------	---	---------	---------	---	---------

Types 11-90, Total all types

Total	2,308,489	1,170,275	3,478,764	2,352,030*	1,154,262*	3,506,292*
-------	-----------	-----------	-----------	------------	------------	------------

1/ Subject to revision.

2/ Most of the stocks in the X and Y groups will go into scrap chewing manufacture as well as part of that included in the scrap group.

3/ Includes Puerto Rican on the Island, Type 46.

4/ Type 84.-Other foreign-grown all shown in the C group.

5/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.

6/ Type 77.-Domestic Aromatic formerly reported under Type 73.

7/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

\* Revisions in January 1 report.



Table 4.—Stocks of leaf tobacco by types, showing separately quantities owned by dealers and manufacturers, April 1, 1952 compared with April 1, 1951. 1

# REPORTED WEIGHT

U.S. type number	Reported as owned by manufacturers 2/			Reported as owned by dealers 2/			Combined totals		
	April 1, 1952			April 1, 1952			April 1, 1952		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
11	207,906	199,627	407,533	433,356	128,438	8,785	137,223	96,980	544,756
12	185,999	238,936	424,935	377,569	87,918	9,610	97,528	68,278	522,463
13	124,907	131,738	256,645	270,629	69,318	6,515	75,833	38,563	332,478
14	743	132,505	133,248	126,012	26,633	9,195	35,828	15,344	169,076
11-14	519,555	702,806	1,222,361	1,207,566	312,307	34,105	346,412	219,165	1,568,773
21	13,625	236	13,861	13,677	12,788	3	12,791	10,593	26,652
22	62,405	482	62,887	54,479	43,270	55	43,325	46,928	106,212
23	10,274	17	10,291	10,944	19,004	11	19,015	30,696	29,306
24	-	-	-	-	291	-	291	307	291
21-24	86,304	735	87,039	79,100	75,353	69	75,422	88,524	162,461
31	506,094	361,836	867,930	861,256	181,251	17,719	198,970	137,452	1,066,900
31-V	279	238	517	582	-	-	-	-	517
32	14,795	11,126	25,924	27,229	20,345	236	20,581	14,622	46,505
31-32	521,168	373,203	894,371	889,067	201,596	17,955	219,551	152,074	1,113,922
35	18,122	841	18,963	20,699	25,250	337	25,587	24,186	44,550
36	16,088	880	16,968	18,351	12,200	30	12,230	13,576	29,198
37	2,867	274	3,141	3,217	660	-	660	501	3,801
35-37	37,077	1,995	39,072	42,267	38,110	367	38,477	38,263	77,549
41	97,835	4,745	102,580	105,553	22,521	276	22,797	17,273	125,377
42-44	20,975	1,296	22,271	23,782	6,027	71	6,098	6,045	28,369
46 3/	3,159	12,403	15,562	16,961	16,858	2,884	19,742	16,593	35,304
41-46	121,969	18,444	140,413	146,296	45,406	3,231	48,637	39,911	189,050
51	24,151	504	24,655	21,992	9,027	19	9,046	8,030	33,701
52	20,137	237	20,374	20,695	10,000	34	10,034	11,603	30,408
53	2,524	26	2,550	1,766	75	1	76	240	2,626
54	26,950	3,592	30,542	34,358	8,940	67	9,007	4,765	39,549
55	36,130	1,013	37,143	39,382	5,927	228	6,155	9,278	43,298
56	-	-	-	14	-	-	-	-	-
51-56	109,892	5,372	115,264	118,206	33,969	349	34,318	33,917 *	149,582
61	7,794	179	7,973	8,063	5,804	-	5,804	6,205 *	13,777
62	4,930	25	4,955	4,026	3,752	37	3,789	2,953 *	8,744
61-62	12,724	204	12,928	12,089	9,556	37	9,593	9,158 *	22,521
72	-	401	401	409	-	284	284	258	685
73 4/	190	393	583	701	33	8	41	42	624
77	264	-	264	60	85	-	85	516	349
72-77	454	794	1,248	1,170	118	292	410	816	1,658
81	5,343	9,898	15,241	13,237	134	342	476	571	15,717
82 5/	489	6	495	553	11	6	17	41	512
83	492	45	537	80	-	6	6	13	543
84	-	-	-	10	5	14	19	30	19
81-84	6,324	9,949	16,273	13,880	150	368	518	655	16,791
90	174,347	-	174,347	168,088	2,110	-	2,110	4,248	176,457
11-90	1,589,814	1,113,502	2,703,316	2,677,729	718,675	56,773	775,448	586,731	3,478,764

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis.

2/ The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. The table should therefore be considered as representing only the approximate quantities owned respectively by dealers and manufacturers.

3/ Includes stocks on the Island of Puerto Rico.

4/ For explanation of stocks included in this classification see footnote 5 on page 12.

5/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

Table 5.--Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, April 1, 1952 compared with other quarters 1/

# REPORTED WEIGHT

Type name	U.S. type number	April 1, 1952 2/			January 1, 1952	April 1, 1951	January 1, 1951
		Unstemmed	Stemmed	Total			
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Old and Middle Belt flue-cured	11	336,344	208,412	544,756	643,932	530,336	630,254
Eastern North Carolina flue-cured	12	273,917	248,546	522,463	582,563	445,847	525,729
South Carolina flue-cured (including Southeastern N.C.)	13	194,225	138,253	332,478	382,345*	309,192	346,923
Georgia and Florida flue-cured	14	27,376	141,700	169,076	187,716	141,356	163,863
Total Flue-cured	11-14	831,862	736,911	1,568,773	1,796,556*	1,426,731	1,666,769
Virginia fire-cured	21	26,413	239	26,652	22,457	24,270	19,389
Tennessee and Kentucky fire-cured (Eastern District)	22	105,675	537	106,212	79,704	101,407	81,696
Kentucky and Tennessee fire-cured (Western District)	23	29,278	28	29,306	25,953	41,640	40,756
Henderson Stemming	24	291	-	291	293	307	308
Total Fire-cured	21-24	161,657	804	162,461	128,407	167,624	142,149
Burley	31	687,345	379,555	1,066,900	958,692*	998,708	917,173
Low-nicotine	31-V	279	238	517	505	582	587
Southern Maryland	32	35,140	11,365	46,505	53,326	41,851	47,545
Total Light Air-cured	31-32	722,764	391,158	1,113,922	1,012,523*	1,041,141	965,305
One Sucker	35	43,372	1,178	44,550	37,645*	44,885	35,573
Green River	36	28,288	910	29,198	28,721	31,927	28,720
Virginia sun-cured	37	3,527	274	3,801	2,680	3,718	2,678
Total Dark Air-cured	35-37	75,187	2,362	77,549	69,046*	80,530	66,971
Pennsylvania Seedleaf	41	120,356	5,021	125,377	103,083*	122,826	93,730
Ohio Filler (Miami Valley)	42-44	27,002	1,367	28,369	25,035	29,827	23,305
Puerto Rican:							
In United States	46	3,789	12,259	16,048	16,586*	18,915	20,863
In Puerto Rico	46	16,228	3,028	19,256	10,831*	14,639	11,258
Total Cigar-Filler	41-46	167,375	21,675	189,050	155,535*	186,207	149,156
Connecticut Valley Broadleaf	51	33,178	523	33,701	29,162*	30,022	25,778
Connecticut Valley Havana Seed	52	30,137	271	30,408	28,798*	32,298	23,864
New York and Pa. Havana Seed	53	2,599	27	2,626	1,525*	2,006	1,242
Southern Wisconsin	54	35,890	3,659	39,549	32,921	39,123	33,058
Northern Wisconsin	55	42,057	1,241	43,298	38,438*	48,660	37,242
Georgia and Florida Binder	56	-	-	-	-	14	69
Total Cigar-Binder	51-56	143,861	5,721	149,582	130,844*	152,123	121,253
Connecticut shade	61	13,598	179	13,777	15,406*	14,268	15,977
Georgia and Florida shade	62	8,682	62	8,744	9,748*	6,979	7,643
Total Cigar-Wrapper	61-62	22,280	241	22,521	25,154*	21,247	23,620
Perique	72	-	685	685	633	667	664
Other Miscellaneous Domestic 3/	73	223	401	624	804	743	1,024
Domestic Aromatic	77	349	-	349	574	576	-
Total Miscellaneous Domestic	72-77	572	1,086	1,658	2,011	1,986	1,688
Cuba (Havana)	81	5,477	10,240	15,717	15,235*	13,808	13,240
Sumatra and Java 4/	82	500	12	512	650	594	850
Philippine Islands (Manila)	83	492	51	543	576	93	75
Other foreign-grown cigar-leaf	84	5	14	19	24	40	47
Total Foreign-grown Cigar-leaf	81-84	6,474	10,317	16,791	16,485*	14,535	14,212
Foreign-grown cigarette and smoking tobacco (Turkish and other)	90	176,457	-	176,457	169,731	172,336	150,321
Total all types	11-90	2,308,489	1,170,275	3,478,764	3,506,292*	3,264,460	3,301,444

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1951, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

2/ Subject to revision.

3/ For explanation of stocks included in this classification see footnote 5 on page 12.

4/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

\* Revisions in January 1, 1952 report.

